

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office FEB 19 1998

Returned to applicant for correction _____

Corrected application filed _____

Map filed FEB 19 1998

The applicant JAMES G. & JEAN M. STEWART, hereby make application for permission to change the Point of Diversion & Place of Use & Manner of Use of a portion of water heretofore appropriated under PERMIT 48744

1. The source of water is Underground
2. The amount of water to be changed 0.43 Acre-Feet 0.0006 cfs
3. The water to be used for Commercial & Domestic
4. The water heretofore permitted for Industrial & Domestic
5. The water is to be diverted at the following point within the SE $\frac{1}{4}$ Sw $\frac{1}{4}$, Section 1, T.20N., R.18E., M.D.M., or at a point from which the Southwest Section corner of said Section 1 bears S.58° 34' 00"W. a distance of 1654.62 feet.
6. The existing permitted point of diversion is located within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 7, T.20N., R.19E., M.D.M., or at a point from which the east quarter corner of said Section 7, bears S.36° 30'E. a distance of 1577.0 feet.
7. Proposed place of use a portion of the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Section 1, T.20N., R.18E., M.D.M. as shown on Supporting Map.
8. Existing place of use portions of the NE $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, AND SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 7, T.20N., R.19E., M.D.M., as shown on Supporting Map.
9. Use will be from Jan. 1 to Dec. 31 of each year.
10. Use was permitted from Jan. 1 to Dec. 31 of each year.
11. Description of proposed works drilled well, pump and distribution system.
12. Estimated cost of works \$7,500.00
13. Estimated time required to construct works 2 years
14. Estimated time required to complete the application of water to beneficial use 3 years
15. Remarks: The water requested under this application will be used for Commercial and domestic purposes.

By s/James G. Stewart
P. O. BOX 51119
SPARKS, NEVADA 89435

Compared my/ cms dl/bk

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 48744 is issued subject to the terms and conditions imposed in said Permit 48744 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 65856 and 65857 shall not exceed 1.102 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Any well drilled under Permit 48744 shall be plugged in accordance with the Nevada Administrative Code, Chapter 534.420, "Regulations for Water Well and Related Drilling" within 60 days from the issuance of this permit.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0006 cubic feet per second, but not to exceed 0.4319 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

November 23, 1999

Proof of completion of work shall be filed before:

December 23, 1999

Application of water to beneficial use shall be filed on or before:

November 23, 2000

Proof of the application of water to beneficial use shall be filed on or before:

December 23, 2000

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 23rd day of November, A.D. 1998


State Engineer

FEB 10 2000

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____